

Fitness Gym Flooring (FGF)

FOR USE IN HEAVY IMPACT WORK OUT AREAS

TECHNICAL DATA

PROPERTY	TEST METHOD	UNITS	TEST RESULTS
Tear	ASTM D 624	KN/m	13.6 – 16.2
Shore A Hardness	DIN 53505	Shore A	60 (+/- 5)
Compression Set	DIN 53517	%	15
Abrasion	DIN 53516	mm ³	164-178
Tensile Strength	EN ISO 1798	N/mm ²	2 – 2.4
Elongation At Break	EN ISO 1798	%	166 - 201
Coefficient of Friction	EN 13893:2002	μ	0.47 (safe)
Fire Resistance	DIN EN 13501-1	E _{fl}	B2
Light Fastness	DIN EN 105-B02:1999-09		2-3
Electrostatic Properties	DIN EN 1815:1995-06	kV	0.5
Remaining Deformation	EN 433:1994-11	mm	0.13
Reduction of Impact Sound Pressure Level	DIN EN ISO 140-8:1998-03	ΔL _w	18dB
Use With Wheel Chairs	DIN EN 1307:1997-06	For permanent use adapted	



Product Description: Fitness Gym Flooring (SBR/EPDM Rubber)

Colour: Black, Blue, Grey and more

Ideal for free weight training and class fitness areas

JCW Fitness Gym Flooring is available as standard in 8mm and 10mm. Our rubber roll flooring is an ideal solution for free weight training and cross fit applications. Ideal for heavy impact work-outs, and offers protection against injuries where free-weights, dumbbells or kettlebells are in operation during training sessions.




Product Code	Roll Dimensions	EPDM Colour
FGF-SBR-Black	10m x 1.22m x 8mm	Black
FGF-EPDM-20-Blue	10m x 1.22m x 8mm	Blue
FGF-EPDM-20-Grey	10m x 1.22m x 8mm	Grey

Full range of thickness and colours on request

- ✓ Reach Compliant
- ✓ Recycled Materials
- ✓ High Performance

Example Colours



Gymnasiums | Sports Halls | Leisure Centres | Fitness Suites



Unit 32-34 Waters Meeting Development
Britannia Way, Bolton, BL2 2HH

Sales helpline **01204 548400**
8.30am - 4.30pm Monday to Friday

sales@acoustic-supplies.com
www.acoustic-supplies.com